

Package ‘TableMonster’

July 21, 2025

Version 1.7.8

Depends xtable

Title Table Monster

Description Provides a user friendly interface to
generation of booktab style tables using 'xtable'.

License GPL (>= 2)

NeedsCompilation no

Repository CRAN

Date/Publication 2025-05-22 05:00:13 UTC

Author Grant Izmirlian [aut, cre]

Maintainer Grant Izmirlian <grant.izmirlian@astrazeneca.com>

Contents

basic.tmPrint	2
paste	2
print.TableMonster	3
tmCaption	5
tmCaption<-	6
tmCtypes	6
tmCtypes<-	7
tmDigits	7
tmDigits<-	8
tmDisplay	9
tmDisplay<-	9
tmHeadings	10
tmHeadings<-	11
tmTotals	11
tmTotals<-	12

Index	13
--------------	-----------

`basic.tmPrint` *Simple Call to print.TableMonster*

Description

For a generic table ready data.frame, 'x', the call `basic.tmPrint(x)` produces booktabs style latex table suitable for publication

Usage

```
basic.tmPrint(x, special = NULL, simple = FALSE, dbg = FALSE, ...)
```

Arguments

<code>x</code>	A table ready data.frame
<code>special</code>	Special arguments to <code>print.TableMonster</code> . See object documentation.
<code>simple</code>	The remnants of a call to the print method, e.g. if x is a table ready data.frame then <code>print(x, simple=TRUE)</code> calls this function.
<code>dbg</code>	set to a value ≥ 1 for debugging
<code>...</code>	other arguments to <code>print.TableMonster</code>

Value

An invisible version of the argument 'x'

Author(s)

Grant Izmirlan

`paste` *The paste operator*

Description

A binary operator shortcut for `paste(x,y)`

Usage

```
x % , % y
```

Arguments

x a character string
 y a character string

Value

The concatenated character string

Author(s)

Grant Izmirlian <grant.izmirlian@astrazeneca.com>

Examples

```
"var" %,% (1:10)
```

print.TableMonster *Easy Generation of 'booktab' tables*

Description

Provides a user friendly interface to generation of booktab style tables using xtable.

Usage

```
## S3 method for class 'TableMonster'  

print(x, extra = NULL, special = NULL, simple = FALSE, dbg = FALSE, ...)
```

Arguments

x an object of class 'TableMonster' – see below

extra If you want a solid line (tr) or centered midlines (cr) anywhere in the body of the table then use this list argument, with a 'tl' for each solid and a 'mr' for each centered midline in the same format as the top, e.g. extra=list(tr=11, cr=13) will put one of each after body lines 11 and 13.

special Optionally, one of the following: 'aos' or 'jrss-b', to produce tables compatible with the style guid of the Annals of Statistics or JRSS-B, respectively.

simple Set to 'TRUE' to override the default treatment of multi-level tables

dbg Set to 'TRUE' and the routine will output intermediate results to a file 'debug.rda' containing the computed results of the list 'add.to.row' which is passed to the function print.xtable.

... 1. Optionally, `label`, of type character, giving the name of the latex label name associated with the table for crossreference within the latex document. 2. Optionally `special`, a character string taking the value "jrss-b" or "aos". 3. Optionally `rowcolor`, a list of the form `list(color="yellow", rownum=5)`, for highlighting a particular row. You must remember to `\usepackage{xcolor}` and include 'table' in your documentclass options, e.g. `\documentclass[table]{beamer}`, and of course, define the color 'yellow' in your preamble. Finally, any named arguments accepted by `print.xtable` are accepted.

Author(s)

Grant Izmirlian <izmirlian@astrazeneca.com>

Examples

```
## Example 1: A table with a single heading
##
library(TableMonster)
tst <- as.data.frame(cbind(rep(c("John", "Joe", "Mary", "Jane", "Alex"), 2),
                           rep(c("male", "male", "female", "female", "female"), 2),
                           rep(c(12345, 54321, 46943, 23123, 51234), 2)))

hdngs <- as.list(rep("", 3))
names(hdngs) <- c("Name", "Gender", "Student ID")

tmHeadings(tst) <- hdngs
tmCtypes(tst) <- rep("n", 3)
tmDigits(tst) <- rep(0, 3)
tmCaption(tst) <- "This is JUST a TEST"

class(tst) <- "TableMonster"

tst

print(tst, label="tbl:anexample")
print(tst, include.rownames=FALSE, sanitize.text.function=I)
print(tst, label="tbl:anexample", include.rownames=FALSE, sanitize.text.function=I)

## Example 2: A table with a two level heading
##
library(TableMonster)
gp <- rep(1:2, each=5)
m1 <- rnorm(10)
s1 <- (rchisq(10, df=1)/10)^0.5
z1 <- m1/s1
m2 <- rnorm(10)
s2 <- (rchisq(10, df=1)/10)^0.5
z2 <- m2/s2
m3 <- rnorm(10)
s3 <- (rchisq(10, df=1)/10)^0.5
z3 <- m3/s3
```

```
foo <- as.data.frame(list(variable=letters[sample(10)], group=gp, model1=m1, se1=s1, Z1=z1,
                        model2=m2, se2=s2, Z2=z2,
                        model3=m3, se3=s3, Z3=z3))

tmHeadings(foo) <- list('Variable'="", 'Group'="",
                       'Model 1'=list('Estimate'="", 'Std Err'="", 'Wald Test'=""),
                       'Model 2'=list('Estimate'="", 'Std Err'="", 'Wald Test'=""),
                       'Model 3'=list('Estimate'="", 'Std Err'="", 'Wald Test'=""))
tmCaption(foo) <- "This is TableMonster (TM)!!!"

tmCtypes(foo) <- c("c", "c", rep("n", 9))
tmDigits(foo) <- c(0, 0, rep(3, 9))

class(foo) <- "TableMonster"

print(foo, rowcolor=list(color="yellow", rownum=7))
```

tmCaption*Gets the attribute 'caption' from a 'TableMonster' class object*

Description

Gets the attribute 'caption' from a 'TableMonster' class object

Usage

```
tmCaption(x)
```

Arguments

x An object of class 'TableMonster'

Details

This is a required attribute for an object of class 'TableMonster'

Value

A character string

Author(s)

Grant Izmirlian

tmCaption<- *Assignment function for the 'caption' attribute*

Description

Assignment function for the 'caption' attribute of an object of class 'TableMonster'

Usage

```
tmCaption(x) <- value
```

Arguments

x	An object of class 'TableMonster'
value	A character string

Details

This is a required attribute for an object of class 'TableMonster'

Author(s)

Grant Izmirlian

tmCtypes *Gets the attribute 'ctypes' from a 'TableMonster' class object*

Description

Gets the attribute 'ctypes' from a 'TableMonster' class object

Usage

```
tmCtypes(x)
```

Arguments

x	An object of class 'TableMonster'
---	-----------------------------------

Details

This is a required attribute for an object of class 'TableMonster'

Value

A character vector the same length as the number of columns of the table, having entries "n" or "c", meaning "numeric" or "character"

tmCtypes<-

7

Author(s)

Grant Izmirlian

tmCtypes<- *Assignment function for the 'ctypes' attribute*

Description

Assignment function for the 'ctypes' attribute of an object of class 'TableMonster'

Usage

```
tmCtypes(x) <-value
```

Arguments

x	An object of class 'TableMonster'
value	A vector of length equal to the number of columns in the table containing entries "n" or "c" meaning that the corresponding column is of mode "numeric" or "character"

Details

This is a required attribute for an object of class 'TableMonster'

Author(s)

Grant Izmirlian

tmDigits *Gets the attribute 'digits' from a 'TableMonster' class object*

Description

Gets the attribute 'digits' from a 'TableMonster' class object

Usage

```
tmDigits(x)
```

Arguments

x	An object of class 'TableMonster'
---	-----------------------------------

Details

This is a required attribute for an object of class 'TableMonster'

Value

A numeric vector of length equal to the number of columns in the table

Author(s)

Grant Izmirlian

tmDigits<-

Assignment function for the 'digits' attribute

Description

Assignment function for the 'digits' attribute of an object of class 'TableMonster'

Usage

```
tmDigits(x) <- value
```

Arguments

x	An object of class 'TableMonster'
value	A numeric vector of length equal to the number of columns in the table specifying the desired number of digits. Enter '0' for character columns.

Details

This is a required attribute for an object of class 'TableMonster'

Author(s)

Grant Izmirlian

tmDisplay	<i>Gets the 'display' attribute</i>
-----------	-------------------------------------

Description

Gets the 'display' attribute of an object of class 'TableMonster'

Usage

```
tmDisplay(x)
```

Arguments

x An object of class 'TableMonster'

Details

This attribute is optional and is only used when you want to specify the format type for each column as other than "g" (general format).

Value

A vector of length exceeding the number of columns by 1 consisting of the format specifiers, "d" (for integers), "f", "e", "E", "g", "G", "fg" (for reals), or "s" (for strings).

Author(s)

Grant Izmirlian

tmDisplay<-	<i>Assignment function for the 'display' attribute</i>
-------------	--

Description

Assignment function for the 'display' attribute of an object of class 'TableMonster'

Usage

```
tmDisplay(x) <- value
```

Arguments

x An object of class 'TableMonster'
value A vector of length exceeding the number of columns by 1 consisting of the format specifiers, "d" (for integers), "f", "e", "E", "g", "G", "fg" (for reals), or "s" (for strings).

Details

This attribute is optional and is only used when you want to specify the format type for each column as other than "g" (general format).

Author(s)

Grant Izmirlian

tmHeadings

Gets the attribute 'headings' from a 'TableMonster' class object

Description

Gets the attribute 'headings' from a 'TableMonster' class object

Usage

tmHeadings(x)

Arguments

x An object of class 'TableMonster'

Details

This is a required attribute for an object of class 'TableMonster'

Value

The 'headings' attribute of a 'TableMonster' object, a vector of character strings of length equal to the number of columns of the table.

Author(s)

Grant Izmirlian

tmHeadings<- *Assignment function for the 'headings' attribute*

Description

Assignment function for the 'headings' attribute for an object of class 'TableMonster'

Usage

```
tmHeadings(x) <- value
```

Arguments

x	An object of class 'TableMonster'
value	A vector of character strings of length equal to the number of columns in the table

Details

This is a required attribute for an object of class 'TableMonster'

Author(s)

Grant Izmirlian

tmTotals *Gets the 'totals' attribute*

Description

Gets the 'totals' attribute of an object of class 'TableMonster'

Usage

```
tmTotals(x)
```

Arguments

x	An object of class 'TableMonster'
---	-----------------------------------

Details

This attribute is optional and is only used when you have a table in which you want to put a single row of column totals (or anything else) below the bottom line.

Value

A numeric or character vector of length equal to the number of columns in the table

Author(s)

Grant Izmirlian

tmTotals<- *Assignment function for the 'totals' attribute*

Description

Assignment function for the 'totals' attribute of an object of class 'TableMonster'

Usage

```
tmTotals(x) <- value
```

Arguments

x	An object of class 'TableMonster'
value	The 'totals' attribute, a numeric or character vector of length equal to the number of columns in the table.

Details

This attribute is optional and is only used when you have a table in which you want to put a single row of column totals (or anything else) below the bottom line.

Author(s)

Grant Izmirlian

Index

* **character**

paste, 2
%,%(paste), 2

basic.tmPrint, 2

paste, 2

print.TableMonster, 3

tmCaption, 5

tmCaption<-, 6

tmCtypes, 6

tmCtypes<-, 7

tmDigits, 7

tmDigits<-, 8

tmDisplay, 9

tmDisplay<-, 9

tmHeadings, 10

tmHeadings<-, 11

tmTotals, 11

tmTotals<-, 12