

Package ‘ica’

July 22, 2025

Type Package

Title Independent Component Analysis

Version 1.0-3

Date 2022-07-08

Author Nathaniel E. Helwig <helwig@umn.edu>

Maintainer Nathaniel E. Helwig <helwig@umn.edu>

Description Independent Component Analysis (ICA) using various algorithms: FastICA, Information-Maximization (Infomax), and Joint Approximate Diagonalization of Eigenmatrices (JADE).

License GPL (>= 2)

NeedsCompilation no

Repository CRAN

Date/Publication 2022-07-08 17:30:02 UTC

Contents

acy	2
ica	3
icafast	6
icaimax	8
icajade	11
icaplot	14
icasamp	15
Index	17

acy

*Amari-Cichocki-Yang Error***Description**

The Amari-Cichocki-Yang (ACY) error is an asymmetric measure of dissimilarity between two nonsingular matrices X and Y . The ACY error: (a) is invariant to permutation and rescaling of the columns of X and Y , (b) ranges between 0 and $n-1$, and (c) equals 0 if and only if X and Y are identical up to column permutations and rescalings.

Usageacy(X, Y)**Arguments**

X Nonsingular matrix of dimension $n \times n$ (test matrix).
 Y Nonsingular matrix of dimension $n \times n$ (target matrix).

Details

The ACY error is defined as

$$\frac{1}{2n} \sum_{i=1}^n \left(\frac{\sum_{j=1}^n |a_{ij}|}{\max_j |a_{ij}|} - 1 \right) + \frac{1}{2n} \sum_{j=1}^n \left(\frac{\sum_{i=1}^n |a_{ij}|}{\max_i |a_{ij}|} - 1 \right)$$

where $a_{ij} = (\mathbf{Y}^{-1}\mathbf{X})_{ij}$.

Value

Returns a scalar (the ACY error).

Warnings

If Y is singular, function will produce an error.

Author(s)

Nathaniel E. Helwig <helwig@umn.edu>

References

Amari, S., Cichocki, A., & Yang, H.H. (1996). A new learning algorithm for blind signal separation. In D. S. Touretzky, M. C. Mozer, and M. E. Hasselmo (Eds.), *Advances in Neural Information Processing Systems*, 8. Cambridge, MA: MIT Press.

Examples

```
##### EXAMPLE #####

set.seed(1)
X <- matrix(runif(16),4,4)
Y <- matrix(runif(16),4,4)
Z <- X[,c(3,1,2,4)]%*%diag(1:4)
acy(X,Y)
acy(X,Z)
```

 ica

ICA via FastICA, Infomax, or JADE

Description

Computes ICA decomposition using Hyvarinen's (1999) FastICA algorithm, Bell and Sejnowski's (1995) Information-Maximization (Infomax) algorithm, or Cardoso and Souloumiac's (1993, 1996) Joint Approximate Diagonalization of Eigenmatrices (JADE) algorithm.

Usage

```
ica(X, nc, method = c("fast", "imax", "jade"), ...)
```

Arguments

X	Data matrix with n rows (samples) and p columns (variables).
nc	Number of components to extract.
method	Method for decomposition.
...	Additional arguments to be passed to other ICA functions (see Details).

Details

ICA Model The ICA model can be written as $X = \text{tcrossprod}(S, M) + E$, where S contains the source signals, M is the mixing matrix, and E contains the noise signals. Columns of X are assumed to have zero mean. The goal is to find the unmixing matrix W such that columns of $S = \text{tcrossprod}(X, W)$ are independent as possible.

Whitening Without loss of generality, we can write $M = P \%*\% R$ where P is a tall matrix and R is an orthogonal rotation matrix. Letting Q denote the pseudoinverse of P , we can whiten the data using $Y = \text{tcrossprod}(X, Q)$. The goal is to find the orthogonal rotation matrix R such that the source signal estimates $S = Y \%*\% R$ are as independent as possible. Note that $W = \text{crossprod}(R, Q)$.

Method This is a wrapper function for the functions `icafast`, `icaimax`, or `icajade`. See the corresponding function for details on the method, as well as the available arguments (handled by the `...` argument).

Value

S	Matrix of source signal estimates ($S = Y \%*\% R$).
M	Estimated mixing matrix.
W	Estimated unmixing matrix ($W = \text{crossprod}(R, Q)$).
Y	Whitened data matrix.
Q	Whitening matrix.
R	Orthogonal rotation matrix.
vafs	Variance-accounted-for by each component.
iter	Number of algorithm iterations.
converged	Logical indicating if algorithm converged.
...	Other arguments (if <code>method = "fast"</code> or <code>method = "imax"</code>).

Author(s)

Nathaniel E. Helwig <helwig@umn.edu>

References

- Bell, A.J. & Sejnowski, T.J. (1995). An information-maximization approach to blind separation and blind deconvolution. *Neural Computation*, 7(6), 1129-1159. doi:10.1162/neco.1995.7.6.1129
- Cardoso, J.F., & Souloumiac, A. (1993). Blind beamforming for non-Gaussian signals. *IEE Proceedings-F*, 140(6), 362-370. doi:10.1049/ipf2.1993.0054
- Cardoso, J.F., & Souloumiac, A. (1996). Jacobi angles for simultaneous diagonalization. *SIAM Journal on Matrix Analysis and Applications*, 17(1), 161-164. doi:10.1137/S0895479893259546
- Helwig, N.E. & Hong, S. (2013). A critique of Tensor Probabilistic Independent Component Analysis: Implications and recommendations for multi-subject fMRI data analysis. *Journal of Neuroscience Methods*, 213(2), 263-273. doi:10.1016/j.jneumeth.2012.12.009
- Hyvarinen, A. (1999). Fast and robust fixed-point algorithms for independent component analysis. *IEEE Transactions on Neural Networks*, 10(3), 626-634. doi:10.1109/72.761722

See Also

[icafast](#) for ICA via FastICA
[icaimax](#) for ICA via Infomax
[icajade](#) for ICA via JADE

Examples

```
##### EXAMPLE 1 #####

# generate noiseless data (p == r)
set.seed(123)
nobs <- 1000
Amat <- cbind(icasamp("a", "rnd", nobs), icasamp("b", "rnd", nobs))
Bmat <- matrix(2 * runif(4), nrow = 2, ncol = 2)
```

```
Xmat <- tcrossprod(Amat, Bmat)

# ICA via different algorithms
imod.fast <- ica(Xmat, nc = 2)
imod.imax <- ica(Xmat, nc = 2, method = "imax")
imod.jade <- ica(Xmat, nc = 2, method = "jade")

# compare mixing matrix recovery
acy(Bmat, imod.fast$M)
acy(Bmat, imod.imax$M)
acy(Bmat, imod.jade$M)

# compare source signal recovery
cor(Amat, imod.fast$S)
cor(Amat, imod.imax$S)
cor(Amat, imod.jade$S)

##### EXAMPLE 2 #####

# generate noiseless data (p != r)
set.seed(123)
nobs <- 1000
Amat <- cbind(icasamp("a", "rnd", nobs), icasamp("b", "rnd", nobs))
Bmat <- matrix(2 * runif(200), nrow = 100, ncol = 2)
Xmat <- tcrossprod(Amat, Bmat)

# ICA via different algorithms
imod.fast <- ica(Xmat, nc = 2)
imod.imax <- ica(Xmat, nc = 2, method = "imax")
imod.jade <- ica(Xmat, nc = 2, method = "jade")

# compare source signal recovery
cor(Amat, imod.fast$S)
cor(Amat, imod.imax$S)
cor(Amat, imod.jade$S)

##### EXAMPLE 3 #####

# generate noisy data (p != r)
set.seed(123)
nobs <- 1000
Amat <- cbind(icasamp("a", "rnd", nobs), icasamp("b", "rnd", nobs))
Bmat <- matrix(2 * runif(200), 100, 2)
Emat <- matrix(rnorm(10^5), nrow = 1000, ncol = 100)
Xmat <- tcrossprod(Amat, Bmat) + Emat

# ICA via different algorithms
imod.fast <- ica(Xmat, nc = 2)
imod.imax <- ica(Xmat, nc = 2, method = "imax")
imod.jade <- ica(Xmat, nc = 2, method = "jade")
```

```
# compare source signal recovery
cor(Amat, imod.fast$$S)
cor(Amat, imod.imax$$S)
cor(Amat, imod.jade$$S)
```

 icafast

ICA via FastICA Algorithm

Description

Computes ICA decomposition using Hyvarinen's (1999) FastICA algorithm with various options.

Usage

```
icafast(X, nc, center = TRUE, maxit = 100, tol = 1e-6, Rmat = diag(nc),
        alg = "par", fun = "logcosh", alpha = 1)
```

Arguments

<code>X</code>	Data matrix with n rows (samples) and p columns (variables).
<code>nc</code>	Number of components to extract.
<code>center</code>	If TRUE, columns of X are mean-centered before ICA decomposition.
<code>maxit</code>	Maximum number of algorithm iterations to allow.
<code>tol</code>	Convergence tolerance.
<code>Rmat</code>	Initial estimate of the nc -by- nc orthogonal rotation matrix.
<code>alg</code>	Algorithm to use: <code>alg="par"</code> to estimate all nc components in parallel (default) or <code>alg="def"</code> for deflation estimation (i.e., projection pursuit).
<code>fun</code>	Contrast function to use for negentropy approximation: <code>fun="logcosh"</code> for log of hyperbolic cosine, <code>fun="exp"</code> for Gaussian kernel, and <code>fun="kur"</code> for kurtosis.
<code>alpha</code>	Tuning parameter for "logcosh" contrast function ($1 \leq \alpha \leq 2$).

Details

ICA Model The ICA model can be written as $X = \text{tcrossprod}(S, M) + E$, where S contains the source signals, M is the mixing matrix, and E contains the noise signals. Columns of X are assumed to have zero mean. The goal is to find the unmixing matrix W such that columns of $S = \text{tcrossprod}(X, W)$ are independent as possible.

Whitening Without loss of generality, we can write $M = P \%*\% R$ where P is a tall matrix and R is an orthogonal rotation matrix. Letting Q denote the pseudoinverse of P , we can whiten the data using $Y = \text{tcrossprod}(X, Q)$. The goal is to find the orthogonal rotation matrix R such that the source signal estimates $S = Y \%*\% R$ are as independent as possible. Note that $W = \text{crossprod}(R, Q)$.

FastICA The FastICA algorithm finds the orthogonal rotation matrix R that (approximately) maximizes the negentropy of the estimated source signals. Negentropy is approximated using

$$J(s) = [E(G(s)) - E(G(z))]^2$$

where E denotes the expectation, G is the contrast function, and z is a standard normal variable. See Hyvarinen (1999) or Helwig and Hong (2013) for specifics of fixed-point algorithm.

Value

S	Matrix of source signal estimates ($S = Y \%* \% R$).
M	Estimated mixing matrix.
W	Estimated unmixing matrix ($W = \text{crossprod}(R, Q)$).
Y	Whitened data matrix.
Q	Whitening matrix.
R	Orthogonal rotation matrix.
vafs	Variance-accounted-for by each component.
iter	Number of algorithm iterations.
alg	Algorithm used (same as input).
fun	Contrast function (same as input).
alpha	Tuning parameter (same as input).
converged	Logical indicating if algorithm converged.

Author(s)

Nathaniel E. Helwig <helwig@umn.edu>

References

- Helwig, N.E. & Hong, S. (2013). A critique of Tensor Probabilistic Independent Component Analysis: Implications and recommendations for multi-subject fMRI data analysis. *Journal of Neuroscience Methods*, 213(2), 263-273. doi:10.1016/j.jneumeth.2012.12.009
- Hyvarinen, A. (1999). Fast and robust fixed-point algorithms for independent component analysis. *IEEE Transactions on Neural Networks*, 10(3), 626-634. doi:10.1109/72.761722

See Also

[icaimax](#) for ICA via Infomax

[icajade](#) for ICA via JADE

Examples

```
##### EXAMPLE 1 #####

# generate noiseless data (p == r)
set.seed(123)
nobs <- 1000
Amat <- cbind(icasamp("a", "rnd", nobs), icasamp("b", "rnd", nobs))
Bmat <- matrix(2 * runif(4), nrow = 2, ncol = 2)
Xmat <- tcrossprod(Amat, Bmat)

# ICA via FastICA with 2 components
imod <- icafast(Xmat, nc = 2)
acy(Bmat, imod$M)
cor(Amat, imod$S)

##### EXAMPLE 2 #####

# generate noiseless data (p != r)
set.seed(123)
nobs <- 1000
Amat <- cbind(icasamp("a", "rnd", nobs), icasamp("b", "rnd", nobs))
Bmat <- matrix(2 * runif(200), nrow = 100, ncol = 2)
Xmat <- tcrossprod(Amat, Bmat)

# ICA via FastICA with 2 components
imod <- icafast(Xmat, nc = 2)
cor(Amat, imod$S)

##### EXAMPLE 3 #####

# generate noisy data (p != r)
set.seed(123)
nobs <- 1000
Amat <- cbind(icasamp("a", "rnd", nobs), icasamp("b", "rnd", nobs))
Bmat <- matrix(2 * runif(200), 100, 2)
Emat <- matrix(rnorm(10^5), nrow = 1000, ncol = 100)
Xmat <- tcrossprod(Amat, Bmat) + Emat

# ICA via FastICA with 2 components
imod <- icafast(Xmat, nc = 2)
cor(Amat, imod$S)
```


Description

Computes ICA decomposition using Bell and Sejnowski's (1995) Information-Maximization (Infomax) approach with various options.

Usage

```
icaimax(X, nc, center = TRUE, maxit = 100, tol = 1e-6, Rmat = diag(nc),
        alg = "newton", fun = "tanh", signs = rep(1, nc), signswitch = TRUE,
        rate = 1, rateanneal = NULL)
```

Arguments

<code>X</code>	Data matrix with n rows (samples) and p columns (variables).
<code>nc</code>	Number of components to extract.
<code>center</code>	If TRUE, columns of X are mean-centered before ICA decomposition.
<code>maxit</code>	Maximum number of algorithm iterations to allow.
<code>tol</code>	Convergence tolerance.
<code>Rmat</code>	Initial estimate of the nc -by- nc orthogonal rotation matrix.
<code>alg</code>	Algorithm to use: <code>alg="newton"</code> for Newton iteration, and <code>alg="gradient"</code> for gradient descent.
<code>fun</code>	Nonlinear (squashing) function to use for algorithm: <code>fun="tanh"</code> for hyperbolic tangent, <code>fun="log"</code> for logistic, and <code>fun="ext"</code> for extended Infomax.
<code>signs</code>	Vector of length nc such that <code>signs[j] = 1</code> if j -th component is super-Gaussian and <code>signs[j] = -1</code> if j -th component is sub-Gaussian. Only used if <code>fun="ext"</code> . Ignored if <code>signswitch=TRUE</code> .
<code>signswitch</code>	If TRUE, the <code>signs</code> vector is automatically determined from the data; otherwise a confirmatory ICA decomposition is calculated using input <code>signs</code> vector. Only used if <code>fun="ext"</code> .
<code>rate</code>	Learning rate for gradient descent algorithm. Ignored if <code>alg="newton"</code> .
<code>rateanneal</code>	Annealing angle and proportion for gradient descent learning rate (see Details). Ignored if <code>alg="newton"</code> .

Details

ICA Model The ICA model can be written as $X = \text{tcrossprod}(S, M) + E$, where S contains the source signals, M is the mixing matrix, and E contains the noise signals. Columns of X are assumed to have zero mean. The goal is to find the unmixing matrix W such that columns of $S = \text{tcrossprod}(X, W)$ are independent as possible.

Whitening Without loss of generality, we can write $M = P \%*\% R$ where P is a tall matrix and R is an orthogonal rotation matrix. Letting Q denote the pseudoinverse of P , we can whiten the data using $Y = \text{tcrossprod}(X, Q)$. The goal is to find the orthogonal rotation matrix R such that the source signal estimates $S = Y \%*\% R$ are as independent as possible. Note that $W = \text{crossprod}(R, Q)$.

Infomax The Infomax approach finds the orthogonal rotation matrix R that (approximately) maximizes the joint entropy of a nonlinear function of the estimated source signals. See Bell and Sejnowski (1995) and Helwig and Hong (2013) for specifics of algorithms.

Value

S	Matrix of source signal estimates ($S = Y \%*\% R$).
M	Estimated mixing matrix.
W	Estimated unmixing matrix ($W = \text{crossprod}(R, Q)$).
Y	Whitened data matrix.
Q	Whitening matrix.
R	Orthogonal rotation matrix.
vafs	Variance-accounted-for by each component.
iter	Number of algorithm iterations.
alg	Algorithm used (same as input).
fun	Contrast function (same as input).
signs	Component signs (same as input).
rate	Learning rate (same as input).
converged	Logical indicating if algorithm converged.

Author(s)

Nathaniel E. Helwig <helwig@umn.edu>

References

- Bell, A.J. & Sejnowski, T.J. (1995). An information-maximization approach to blind separation and blind deconvolution. *Neural Computation*, 7(6), 1129-1159. doi:10.1162/neco.1995.7.6.1129
- Helwig, N.E. & Hong, S. (2013). A critique of Tensor Probabilistic Independent Component Analysis: Implications and recommendations for multi-subject fMRI data analysis. *Journal of Neuroscience Methods*, 213(2), 263-273. doi:10.1016/j.jneumeth.2012.12.009

See Also

[icafast](#) for FastICA
[icajade](#) for ICA via JADE

Examples

```
##### EXAMPLE 1 #####

# generate noiseless data (p == r)
set.seed(123)
nobs <- 1000
Amat <- cbind(icasamp("a", "rnd", nobs), icasamp("b", "rnd", nobs))
Bmat <- matrix(2 * runif(4), nrow = 2, ncol = 2)
Xmat <- tcrossprod(Amat, Bmat)

# ICA via Infomax with 2 components
imod <- icaimax(Xmat, nc = 2)
```

```

acy(Bmat, imod$M)
cor(Amat, imod$S)

##### EXAMPLE 2 #####

# generate noiseless data (p != r)
set.seed(123)
nobs <- 1000
Amat <- cbind(icasamp("a", "rnd", nobs), icasamp("b", "rnd", nobs))
Bmat <- matrix(2 * runif(200), nrow = 100, ncol = 2)
Xmat <- tcrossprod(Amat, Bmat)

# ICA via Infomax with 2 components
imod <- icaimax(Xmat, nc = 2)
cor(Amat, imod$S)

##### EXAMPLE 3 #####

# generate noisy data (p != r)
set.seed(123)
nobs <- 1000
Amat <- cbind(icasamp("a", "rnd", nobs), icasamp("b", "rnd", nobs))
Bmat <- matrix(2 * runif(200), 100, 2)
Emat <- matrix(rnorm(10^5), nrow = 1000, ncol = 100)
Xmat <- tcrossprod(Amat, Bmat) + Emat

# ICA via Infomax with 2 components
imod <- icaimax(Xmat, nc = 2)
cor(Amat, imod$S)

```

 icajade

ICA via JADE Algorithm

Description

Computes ICA decomposition using Cardoso and Souloumiac's (1993, 1996) Joint Approximate Diagonalization of Eigenmatrices (JADE) approach.

Usage

```
icajade(X, nc, center = TRUE, maxit = 100, tol = 1e-6, Rmat = diag(nc))
```

Arguments

<code>X</code>	Data matrix with n rows (samples) and p columns (variables).
<code>nc</code>	Number of components to extract.
<code>center</code>	If TRUE, columns of X are mean-centered before ICA decomposition.
<code>maxit</code>	Maximum number of algorithm iterations to allow.
<code>tol</code>	Convergence tolerance.
<code>Rmat</code>	Initial estimate of the nc -by- nc orthogonal rotation matrix.

Details

ICA Model The ICA model can be written as $X = \text{tcrossprod}(S, M) + E$, where S contains the source signals, M is the mixing matrix, and E contains the noise signals. Columns of X are assumed to have zero mean. The goal is to find the unmixing matrix W such that columns of $S = \text{tcrossprod}(X, W)$ are independent as possible.

Whitening Without loss of generality, we can write $M = P \%*\% R$ where P is a tall matrix and R is an orthogonal rotation matrix. Letting Q denote the pseudoinverse of P , we can whiten the data using $Y = \text{tcrossprod}(X, Q)$. The goal is to find the orthogonal rotation matrix R such that the source signal estimates $S = Y \%*\% R$ are as independent as possible. Note that $W = \text{crossprod}(R, Q)$.

JADE The JADE approach finds the orthogonal rotation matrix R that (approximately) diagonalizes the cumulant array of the source signals. See Cardoso and Souloumiac (1993,1996) and Helwig and Hong (2013) for specifics of the JADE algorithm.

Value

<code>S</code>	Matrix of source signal estimates ($S = Y \%*\% R$).
<code>M</code>	Estimated mixing matrix.
<code>W</code>	Estimated unmixing matrix ($W = \text{crossprod}(R, Q)$).
<code>Y</code>	Whitened data matrix.
<code>Q</code>	Whitening matrix.
<code>R</code>	Orthogonal rotation matrix.
<code>vafs</code>	Variance-accounted-for by each component.
<code>iter</code>	Number of algorithm iterations.
<code>converged</code>	Logical indicating if algorithm converged.

Author(s)

Nathaniel E. Helwig <helwig@umn.edu>

References

- Cardoso, J.F., & Souloumiac, A. (1993). Blind beamforming for non-Gaussian signals. *IEE Proceedings-F*, 140(6), 362-370. doi:10.1049/ipf2.1993.0054
- Cardoso, J.F., & Souloumiac, A. (1996). Jacobi angles for simultaneous diagonalization. *SIAM Journal on Matrix Analysis and Applications*, 17(1), 161-164. doi:10.1137/S0895479893259546

Helwig, N.E. & Hong, S. (2013). A critique of Tensor Probabilistic Independent Component Analysis: Implications and recommendations for multi-subject fMRI data analysis. *Journal of Neuroscience Methods*, 213(2), 263-273. doi:10.1016/j.jneumeth.2012.12.009

See Also

[icafast](#) for FastICA

[icaimax](#) for ICA via Infomax

Examples

```
##### EXAMPLE 1 #####

# generate noiseless data (p == r)
set.seed(123)
nobs <- 1000
Amat <- cbind(icasamp("a", "rnd", nobs), icasamp("b", "rnd", nobs))
Bmat <- matrix(2 * runif(4), nrow = 2, ncol = 2)
Xmat <- tcrossprod(Amat, Bmat)

# ICA via JADE with 2 components
imod <- icajade(Xmat, nc = 2)
acy(Bmat, imod$M)
cor(Amat, imod$S)

##### EXAMPLE 2 #####

# generate noiseless data (p != r)
set.seed(123)
nobs <- 1000
Amat <- cbind(icasamp("a", "rnd", nobs), icasamp("b", "rnd", nobs))
Bmat <- matrix(2 * runif(200), nrow = 100, ncol = 2)
Xmat <- tcrossprod(Amat, Bmat)

# ICA via JADE with 2 components
imod <- icajade(Xmat, nc = 2)
cor(Amat, imod$S)

##### EXAMPLE 3 #####

# generate noisy data (p != r)
set.seed(123)
nobs <- 1000
Amat <- cbind(icasamp("a", "rnd", nobs), icasamp("b", "rnd", nobs))
Bmat <- matrix(2 * runif(200), 100, 2)
Emat <- matrix(rnorm(10^5), nrow = 1000, ncol = 100)
Xmat <- tcrossprod(Amat, Bmat) + Emat
```

```
# ICA via JADE with 2 components
imod <- icajade(Xmat, nc = 2)
cor(Amat, imod$S)
```

icaplot

Plot Densities of Source Signal Distributions

Description

Plot density (pdf) and kurtosis for the 18 source signal distributions used in Bach and Jordan (2002); see [icasamp](#) for more information.

Usage

```
icaplot(xseq = seq(-2,2,length.out=500),
        xlab = "", ylab = "", lty = 1,
        lwd = 1, col = "black", ...)
```

Arguments

xseq	Sequence of ordered data values for plotting density.
xlab	X-axis label for plot (default is no label).
ylab	Y-axis label for plot (default is no label).
lty	Line type for each density (scalar or vector of length 18).
lwd	Line width for each density (scalar or vector of length 18).
col	Line color for each density (scalar or vector of length 18).
...	Optional inputs for plot.

Value

Produces a plot with NULL return value.

Author(s)

Nathaniel E. Helwig <helwig@umn.edu>

References

Bach, F.R. (2002). *kernel-ica*. MATLAB toolbox (ver 1.2) <http://www.di.ens.fr/~fbach/kernel-ica/>.
Bach, F.R. & Jordan, M.I. (2002). Kernel independent component analysis. *Journal of Machine Learning Research*, 3, 1-48.

Examples

```
## Not run:
##### EXAMPLE #####

quartz(height=9,width=7)
par(mar=c(3,3,3,3))
icaplot()

## End(Not run)
```

icasamp

Sample from Various Source Signal Distributions

Description

Sample observations from the 18 source signal distributions used in Bach and Jordan (2002). Can also return density values and kurtosis for each distribution. Use [icaplot](#) to plot distributions.

Usage

```
icasamp(dname, query = c("rnd", "pdf", "kur"),
        nsamp = NULL, data = NULL)
```

Arguments

dname	Distribution name: letter "a" through "r" (see Bach & Jordan, 2002).
query	What to return: query="rnd" for random sample, query="pdf" for density values, and query="kur" for kurtosis.
nsamp	Number of observations to sample. Only used if query="rnd".
data	Data values for density evaluation. Only used if query="pdf".

Details

Inspired by `usr_distrib.m` from Bach's (2002) `kernel-ica` MATLAB toolbox.

Value

If query="rnd", returns random sample of size nsamp.

If query="pdf", returns density for input data.

If query="kur", returns kurtosis of distribution.

Author(s)

Nathaniel E. Helwig <helwig@umn.edu>

References

Bach, F.R. (2002). *kernel-ica*. MATLAB toolbox (ver 1.2) <http://www.di.ens.fr/~fbach/kernel-ica/>.

Bach, F.R. & Jordan, M.I. (2002). Kernel independent component analysis. *Journal of Machine Learning Research*, 3, 1-48.

Examples

```
##### EXAMPLE #####

# sample 1000 observations from distribution "f"
set.seed(123)
mysamp <- icasamp("f", "rnd", nsamp=1000)
xr <- range(mysamp)
hist(mysamp, freq=FALSE, ylim=c(0, .8), breaks=sqrt(1000))

# evaluate density of distribution "f"
xseq <- seq(-5, 5, length.out=1000)
mypdf <- icasamp("f", "pdf", data=xseq)
lines(xseq, mypdf)

# evaluate kurtosis of distribution "f"
icasamp("f", "kur")
```


Index

acy, [2](#)

ica, [3](#)

icafast, [3](#), [4](#), [6](#), [10](#), [13](#)

icaimax, [3](#), [4](#), [7](#), [8](#), [13](#)

icajade, [3](#), [4](#), [7](#), [10](#), [11](#)

icaplot, [14](#), [15](#)

icasamp, [14](#), [15](#)